

Desde 1997

V8000

AVANZADA

CONFIABLE

INNOVADORA

IMPRESORA DE INYECCION DE TINTA CIJ



Ideal para la industria de alimentos, bebidas, cosmetica y tuberías

INTERFAZ DE USUARIO



- Pantalla Tactil Colorida De 10"
- sistema operativo basado en Linux
- Multilanguage: inglés, árabe, español, ruso, portugués, francés, alemán, etc.

AVANZADA



- Diseño de núcleo de tinta modular, mantenimiento más fácil, evita retrasos en la producción.
- Comunicarse con la máquina envasadora vía RS232 impresión de varios archivos.
- Códigos de barras: código 128, código 39, ean 13; matriz de datos, código QR.
- Convierte bmp a puntos en la impresora, fácil de editar el logotipo.




CABEZAL DE IMPRESIÓN



- Detención/suministro de tinta más rápido, evita fugas de tinta debido a un corte de energía inesperado.
- Nuevo diseño de motor de boquilla, reduce la probabilidad de bloqueo.
- Cabezal de impresión calefactor, mejor adaptación a diferentes temperaturas, evita la condensación.
- Ajuste automático de la viscosidad.

TECHNICAL SPECIFICATION / ESPECIFICACION TECNICA

Model	V8820	V8850	V8860	V8860P	V8890
Printable Lines	25 dots, 1-3 lines (5x7 dot)	34 dots, 1-4 lines (5x7 dot)			48 dots, 1-6 lines (5x7 dot)
Max.Print Speed	350m/min	500m/min			500m/min
Font Height	1.5-20mm				
Print Distance	0-3cm (The distance between the head and product), Best:1cm				
Touch Screen	10 inch capacitive screen, Leadjet Linux Operation				
Languages	Multi-languages.				
Print Content	Text, date,time, batch number, serial number, logo, QR/DM code, barcode				
Memory Capacity	Up to 1000 messages				
Data Interface	USB, RS232	USB, RS232	USB, RS232, Ethernet		USB, RS232, Ethernet,Txt
Ink Type and Color	Dye-based Ink:Black, blue, red, yellow etc.			Pigment White Ink	Dye-based Ink:Black, blue, red, yellow etc.
Ink cartridge	Smart chip cartridge				
Printhead	Umbilical length:2.7m, Nozzle:60µm				
Power source	AC110V-380V,50/60Hz, 100W				
Industrial Protection	IP55				
Temperature/ Humidity range	-10°C~45°C 0-95% Relative Humidity,Non-condensing				



Leadjet
镭德杰

Wuhan Leadjet Science and Technology Development Co., Ltd.
Address : Building 5-1, Hangang Technology Industry Park,
Jintan Road, Dongxihu 430040, Wuhan Hubei China
Website: www.justleadjet.com



